ECTION 1: Identification			
I.1. Identification			
Product name	: Cyancobalamin Injection		
Other means of identification	: 1 mL vial packaged individually NDC		
	1 mL vials packaged in a carton of 1		
	1 mL vials packaged in a carton of 2	25 NDC 55150-364-2	5
1.2. Relevant identified uses of th	e substance or mixture and uses advised ag	gainst	
Use of the substance/mixture	: Pharmaceutical		
1.3. Details of the supplier of the	safety data sheet		
AuroMedics			
279 Princeton Highstown Road			
East Windsor, NJ 08520			
1.4. Emergency telephone number	۲		
Emergency number	: 1-888-238-7880		
	. 1-000-200-7000		
SECTION 2: Hazard(s) identific	ation		
2.1. Classification of the substan			
GHS US classification			
Not classified			
2.2. Label elements			
GHS US labeling			
No labeling applicable			
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS	US)		
Not applicable			
	motion on ingradianta		
SECTION 3: Composition/Infor	mation on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier	%	GHS US classification
Water	(CAS-No.) 7732-18-5	< 97	Not classified
Benzyl alcohol	(CAS-No.) 100-51-6	< 2	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312
Hydrochloric acid	(CAS-No.) 7647-01-0	< 1	Skin Corr. 1, H314 Eye Dam. 1, H318
Sodium hydroxide	(CAS-No.) 1310-73-2	< 1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
Sodium chloride	(CAS-No.) 7647-14-5	< 1	Not classified
	(CAS-No.) 68-19-9	0.1	Not classified

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: Remove to fresh air and keep patient at rest. Seek medical attention immediately.	
First-aid measures after skin contact	: Remove contaminated clothing. Flush area with large amounts of water. Use soap. S medical attention.	eek
First-aid measures after eye contact	: Flush with water while holding eyelids open for at least 15 minutes. Seek medical atte immediately.	ention
01/07/2021	EN (English US)	Page 1

Calcty Data Office			
First-aid measures after i	ngestion :		nconscious person. Wash out mouth with water. Do not edical personnel. Seek medical attention immediately.
4.2. Most importa	nt symptoms and effects	, both acute and delayed	
Symptoms/injuries after i	nhalation :	None anticipated during normal produ	ict use.
Symptoms/injuries after s	skin contact :	May cause skin irritation.	
Symptoms/injuries after e	eye contact :	May cause eye irritation.	
Symptoms/injuries after i	ngestion :	May be harmful if swallowed.	
4.3. Indication of a	any immediate medical a	ttention and special treatment neede	d
No additional information	available		
SECTION 5: Firefig	hting measures		
5.1. Extinguishing			
Suitable extinguishing me		Use extinguishing media appropriate f	for surrounding fire.
Unsuitable extinguishing		None.	,
5.2. Special hazar	ds arising from the subs	tance or mixture	
Fire hazard		None known.	
5.3. Advice for fire		During all fire fighting activities, was	appropriato protoctivo equipment including celf contained
Protection during firefight	ing	breathing apparatus.	appropriate protective equipment, including self-contained
SECTION 6: Accid	ental release measu	ires	
6.1. Personal prec	autions, protective equi	pment and emergency procedures	
General measures	:	No special measures required.	
6.1.1. For non-emer	gency personnel		
No additional information			
6.1.2. For emergence No additional information			
6.2. Environmenta			
Prevent entry to sewers a	and public waters.		
6.3. Methods and	material for containment		
For containment		Stop the flow of material, if this is with	
Methods for cleaning up	:	Absorb spillage with suitable absorber according to local, state and federal re	nt material. Place in a suitable container and dispose egulations.
6.4. Reference to	other sections		
No additional information	available		
SECTION 7: Handl	ing and storage		
	or safe handling		
Precautions for safe hand		Avoid prolonged and repeated contact	t. Wear appropriate personal protective equipment.
		Observe good industrial hygiene pract	
7.2. Conditions fo	r safe storage, including	any incompatibilities	
Storage conditions		Store at 20° to 25°C (68° to 77°F).	
SECTION 8: Expos	ure controls/persor	nal protection	
8.1. Control param	neters		
Water (7732-18-5)			
Not applicable			
Not applicable	47-01-0)		
Not applicable Hydrochloric acid (76		ing (ppm)	2 ppm
Not applicable Hydrochloric acid (76 ACGIH	ACGIH OEL Ceil		2 ppm 7 ma/m ³
Not applicable Hydrochloric acid (76 ACGIH OSHA	ACGIH OEL Ceili OSHA PEL (Ceili	ng)	7 mg/m ³
Not applicable Hydrochloric acid (76 ACGIH	ACGIH OEL Ceil	ng)	

Hydrochloric acid (7647-01-0)			
NIOSH	NIOSH REL (Ceiling)	7 mg/m³	
NIOSH	NIOSH REL C [ppm]	5 ppm	
Sodium hydroxide (1310-73-2	2)		
ACGIH	ACGIH OEL Ceiling	2 mg/m³	
OSHA	OSHA PEL (TWA) [1]	2 mg/m ³	
IDLH	IDLH	10 mg/m³	
NIOSH	NIOSH REL (Ceiling)	2 mg/m ³	
Sodium chloride (7647-14-5)			
Not applicable			
Cyanocobalamin (68-19-9)			
Not applicable			
Benzyl alcohol (100-51-6)	Benzyl alcohol (100-51-6)		
AIHA	WEEL TWA [ppm]	10 ppm	

8.2. Exposure controls	
Appropriate engineering controls	: Local exhaust and general ventilation must be adequate to meet exposure standards.
Hand protection	: No protection is ordinarily required under normal conditions of use.
Eye protection	: Wear safety glasses or goggles.
Skin and body protection	: Wear suitable working clothes.
Respiratory protection	: No protection is ordinarily required under normal conditions of use.
Appropriate engineering controls Hand protection Eye protection Skin and body protection	 No protection is ordinarily required under normal conditions of use. Wear safety glasses or goggles. Wear suitable working clothes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c	chemical properties
Physical state	: Liquid
Appearance	: Clear
Color	: Dark red
Odor	: Odorless
Odor threshold	: No data available
рН	: 4.5 – 7
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≈ 100 °C (212 °F)
Flash point	: Not flammable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Soluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactiv	ity		
10.1. Reactivity			
No additional information available			
10.2 Chemical stability			
	10.2. Chemical stability The product is stable at normal handling and storage conditions.		
	-		
10.3. Possibility of hazardous reaction	IS		
Will not occur.			
10.4. Conditions to avoid			
Air contact.			
10.5. Incompatible materials			
None known.			
	ata		
10.6. Hazardous decomposition produ	CIS		
None known.			
SECTION 11: Toxicological inform	nation		
11.1. Information on toxicological effe	cts		
Acute toxicity	: Not classified		
Mater (7720.40.5)			
Water (7732-18-5)			
LD50 oral rat	> 90 ml/kg		
Hydrochloric acid (7647-01-0)			
LD50 oral rat	238 – 277 mg/kg		
LD50 dermal rabbit	> 5010 mg/kg		
LC50 Inhalation - Rat	1.68 mg/l (Exposure time: 1 h)		
ATE US (oral)	238 mg/kg body weight		
ATE US (vapors)	1.68 mg/l/4h		
ATE US (dust, mist)	1.68 mg/l/4h		
Sodium hydroxide (1310-73-2)			
LD50 oral rat	140 – 340 mg/kg		
LD50 dermal rabbit	1350 mg/kg		
ATE US (dermal)	1350 mg/kg		
Sodium chloride (7647-14-5)			
LD50 oral rat	3 g/kg		
LC50 Inhalation - Rat	> 42 g/m³ (Exposure time: 1 h)		
ATE US (oral)	3000000 mg/kg		
Benzyl alcohol (100-51-6)			
LD50 oral rat	1230 mg/kg		
LD50 dermal rabbit	2 g/kg		
LC50 Inhalation - Rat	8.8 mg/l/4h		
ATE US (oral)	1230 mg/kg		
ATE US (dermal)	2000 mg/kg		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Hydrochloric acid (7647-01-0)			
IARC group	3 - Not classifiable		
wate group			
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
<u> </u>			

STOT-repeated exposure

: Not classified

Aspiration hazard

: Not classified

SECTION	12: Ecolog	gical information	

12.1. Toxicity

Sodium hydroxide (1310-73-2)		
LC50 - Fish [1]	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Sodium chloride (7647-14-5)		
LC50 - Fish [1]	5560 – 6080 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 - Crustacea [1]	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 - Fish [2]	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 - Crustacea [2]	340.7 – 469.2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	

12.2. Persistence and degradability

No additional information available

12.3. **Bioaccumulative potential**

Sodium chloride (7647-14-5)	
BCF - Fish [1]	(no bioaccumulation)
Benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.1
12.4. Mobility in soil	

No additional information available

Other adverse effects 12.5.

No additional information available

13.1. Waste treatment methods	IS
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/regional/national/international
	regulations.
SECTION 14: Transport information	
Department of Transportation (DOT)	
n accordance with DOT	
Not applicable	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substa	ances Control Act) inventory

Cyancobalamin Injection

Safety Data Sheet

Hydrochloric acid (7647-01-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302 Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	5000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb (gas only)	
SARA Section 313 - Emission Reporting	1 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)	
Sodium hydroxide (1310-73-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
CERCLA RQ 1000 lb		
Sodium chloride (7647-14-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Benzyl alcohol (100-51-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. US State regulations

Hydrochloric acid (7647-01-0)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Sodium hydroxide (1310-73-2)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Benzyl alcohol (100-51-6)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1	Skin corrosion/irritation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H227	Combustible liquid
H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.